

Bike Lock

ZR301



Cable lock

Hardened steel cable

3-digit combination



OPERATING MANUAL



facebook.com/BASIGmbH



[@basi_gmbh](https://www.instagram.com/basi_gmbh)



www.basi.eu

General notes

Warnings: No hazards are to be expected, if the device is used correctly and in accordance with the instructions. Small parts and packaging materials can be swallowed by children and lead to choking! Make sure that small parts and packaging materials do not get into the hands of children. Dispose of the packaging material immediately.


Disclaimer

The manufacturer accepts no liability for damage or injury resulting from incorrect handling.

Operating instructions

- 1) Open: Insert the 3-digit combination and open the lock.
- 2) Fix now the object which has to be secured with the cable.
- 3) Lock: Insert the connecting piece of the cable into the lockcase and change the digital combination.

Attention: You will find the 3-digit combination on a label at the outside of the lockcase. The combination is fixed and not variable. Keep it in mind and remove the label.



Disposal

Help to protect the environment and dispose of the product and the packaging



materials in accordance with the local regulations.

© Copyright

Reproduction or duplication
(even excerpts thereof) is forbidden
without approval of: BASI GmbH
Konstantinstraße 387
41238 Mönchengladbach, Germany

2025

This publication, including all its parts, is
protected by copyright.

Any use outside the narrow limits of
copyright law without the consent of
BASI GmbH is not allowed and is liable
to prosecution.

This applies in particular to duplications,
translations, microfilming and importing
and processing in electronic systems.

BASI GmbH, Konstantinstraße 387,
41238 Mönchengladbach, Germany